

# YARD MARVEL MFG. CO., INC.

N. 5509 MARKET ST., SPOKANE, WA 99208-2305  
 (509) 487-2428 FAX (509) 483-2044 (800) 547-9273 (YARD)  
 email: info@yardmarvel.com www.yardmarvel.com

Effective 10-1-07

Page 1

## PARTS LIST F & G and RENTER TILLERS

When ordering parts, please include:

1. Model number of tiller. (Example: Indicate whether the tiller is a Farm & Garden (F&G) or a Renter Tiller.) See back side handlebar decal plate.
2. Serial number of Tiller, if available. (Example: F&G 550, 11205-) See backside of decal handlebar plate.
3. Horsepower and make, indicated on motor. (Example-3.5 H.P. Briggs & Stratton)
4. We don't stock motor parts. Please order from nearest motor service center.
5. All parts when quoted left-hand or right-hand are determined when operator is looking forward when standing behind the handlebars.

**SPECIAL NOTE:** RENTER (HEAVY DUTY) TILLERS use some different parts than the F&G TILLERS.

PART NUMBER	ITEM	QUANTITY PER TILLER
<b>REAR HITCH</b>		
1-1967	Backsaver Rear Hitch Assy.(Instant Height Adjustment)..... (Incl. 36-J Spring & 70-1 Foot Lever Lockout Arm)	1.....
36-J	Rear Hitch Spring-Cam Only.....	1.....
116-J	Small Rear Hitch Spring-Detent.....	1.....
70-2	Rear Hitch Position Control Arm.....	1.....
<b>MOTOR MOUNTS</b>		
5-74	Lefthand Motor Mount - 1974-on.....	1.....
6-74	Righthand Motor Mount - 1974-on.....	1.....
7	5/16" x 5", 4-1/2" & 2-1/4" NC Bolt.....	3.....
8	5/16" Self-Locking Nut.....	3.....
<b>CHAINCASE</b>		
1010-CPP	R-4 Chaincase Assy - w/Case Protector Plates (21 pounds).....	1.....
1010-CPP/Reb	R-4 Chaincase Assy - w/CPP-Rebuilt (call for availability).....	1 opt.....
1010-CPP-B	R-4 Chaincase Assy - w/CPP-for Bolt-On Hubs.....	1 opt.....
1076	Chaincase Protector Plates-Incl. Mounting Bolts.....	1 pr. ....
10-A	LH Case Half (includes 10-L-2 Bushing & 10-J Bearing).....	1.....
10-B	RH Case Half (includes 10-L-2 Bushing & 10-J Bearing).....	1.....
10-C	5/16" x 1/2" Round Head Mach. Screw-Oil Fill (Side).....	1.....
10-C-A	3/8" x 1/2" Round Head Mach. Screw-Oil Fill (Top).....	1.....
10-C-O	0-Ring Gasket for Side (Fill 5/16") & Top Fill (3/8").....	2.....
1010-D	5/8" Drive Shaft Assembly-includes: 5/8" Drive Shaft- <u>1010-D-A</u> , 11-Tooth Sprocket -RC35- <u>1010-D-B</u> , & Double Roll Pin 1/8" x 1-1/8 (inside) & 7/32"x 1-1/8" (outside) - <u>10-D-C</u>	1.....
1010-E	Idler Sprocket Assy-Incl. 48T-RC35 Sprocket & 9T-RC52 Sprocket-welded to hub.....	1.....
10-F	Idler Bearing - Torrington B-912.....	2.....
10-G	Idler Bearing Race.....	1.....
1010-H	Rotor Shaft Assy for 52P Chain-18-Tooth Sprocket.....	1.....
60	Rotor Pins, Driv-Lok Solid Type.....	2.....
60-B-Hub	Bolt, nylon LN- 3/8" x 2" Gr 8 (used with bolt on hubs only)...	2.....
10-J	Rotor Shaft Bearing - BH-1616 Torrington Needle.....	2.....
10-K-L	Rotor Shaft Seal - Leather Spring-Loaded.....	2.....
10-K-N	Rotor Shaft Seal - Neoprene Spring-Loaded.....	2.....
10-L-2	Bronze Bushing-Dr. Shaft 2" long (Late ' 71 on).....	2.....
10-M	Drive Shaft Seal (for top shaft).....	1.....
10-N	Case Gasket.....	1.....
10-O	Small Chain (RC35) 56 pitch.....	1.....
1010-P	Large Chain (RC 52) All models after ' 73) 35 pitch.....	1.....

## TILLER PARTS LIST

PART NUMBER	ITEM	QUANTITY PER TILLER
<b>CHAINCASE Cont.</b>		
10-Q	Bolt 5/16" x 2-1/4" NC GR 8 (Idler Spkt bolt <u>with</u> CPP's).....	1.....
10-S	2-Way Lock Nut 5/16" NC.....	1.....
10-T	Plug - Upper Drive Shaft.....	1.....
10-U	1/4" x 1" Hx Hd NC Bolt.....	5.....
10-V	1/4" x 1/2" Hx Hd NC Bolt.....	12.....
10-W	2-Way Lock Nut 1/4" NC.....	11.....
10-X	1/4" x 3/4" Skt Hd Cap Screw NC.....	6.....
10-Y	1/4" x 1" Skt Hd Cap Screw NC.....	1.....
10-Z	1/4 - 20 Nut, Serrated Flanged Zinc & Flat Washer.....	12.....
11-S-(SET)	Case Spacer-Welded Reinforcement Strap Assembly (for 1/2" Long Boss) -Tillers ' 71-on. 2LH-2 RH.....	4 per unit....
<b>MOTORS</b>		
<u>12</u>	3 H.P. Honda Model GX100QA2.....	
	3.5 H.P. Briggs & Stratton - Model 091202-1016.....	
	5.5 H.P. B&S Intek Pro - Model 128332-0036.....	
	5.5 H.P. Honda - Model GX160K1QX2.....	
12-16	Engine Tach/Hour Meter, Optional.....	1...opt.....
12-17-B	Hose, Oil Drain extension, Optional (for B&S engine 1/4" NPT)..	1...opt.....
12-17-H	Hose, Oil Drain extension, Optional (for Honda engine 10mm)..	1...opt.....
13	Motor Bolts 5/16" x 2-1/2" NC.....	2.....
14	Motor Bolts 5/16" x 2-3/4" NC.....	1.....
15	Nut 5/16" NC.....	4.....
16	Lift Handle, Tiller front, with 5/16" x 3" NC Bolt, new in 2004...	1.....
17	Motor Pulley 2" x 3/4" Bore.....	1 (2 for Renters)
18	Shaft Key 3/16" x 1-3/4" Long-for single pulley.....	1.....
18-10	Shaft Key 3/16" x 2-1/4" Long-for dbl. pulley.....	1.....
19	Case Pulley 6".....	1 (2 for Renters)
20	Drive Belt 26"-A #73226.....	1 (2 for Renters)
<b>IDLER CLUTCH</b>		
21-74	Idler Clutch Assy-Complete- <u>Single Pulley</u> (Includes 21-A-74, 21-N-74, 21-C, 21-D).....	1.....
21-R-74	Renter Idler Clutch Assy. - <u>Double Pulley</u> (Includes 21-A-74, 21-N-74, 2 of 21-C, 21 D-10).....	1.....
21-A-74	Idler Belt Bracket - mounts to motor.....	1.....
21-A-702-B	5/16" x 3/4" Button Skt Cap Screw & Lock Washer.....	2.....
21-N-74	Clutch Idler Arm Assy. only.....	1.....
21-C	2" Idler Bearing Pulley only-(Fits All).....	1 (2 for Renters)
21-D	3/8" x 1-1/2" Bolt, Nylon Lock Nut (Single Pulley).....	1 set.....
21-D-10	3/8" x 2-1/4" Bolt, Nylon Lock Nut (Double Pulley).....	1 set.....
<b>HANDLEBARS</b>		
22	LH Handlebar only, with Grip.....	1.....
23-A	Clutch Handle Assembly (Non-Lock) incl.23-A-1 & 23-b.....	1.....
23-A-1	Clutch Handle only.....	1.....
23-B	Long Roll Pin - 1/4" x 1-5/8", Zinc.....	1.....
25-80	Clutch Cable Assembly (1980 on) incl. 25-80a & 25-80b.....	1.....
25-80a	Cable & Turnbuckle (33-3/4").....	1.....
25-80b	Spring only (11-1/2").....	1.....
25-80-G	Swing Arm Guide for Clutch Cable(Replaces 23-G Roller Guide)...	1.....
26	5/16" x 1-1/2" Socket Head Cap Screw NC (Handlebar to Motor Mount).....	2.....
27	Nut 5/16" Self-Locking.....	2.....
28	RH Handlebar only - with Grip.....	1.....

**TILLER PARTS LIST**

PART NUMBER	ITEM	QUANTITY PER TILLER
-------------	------	---------------------

**HANDLEBARS Cont.**

29	Throttle Control Assembly-Complete.....	1.....
29-C	Cable Clip-Cable to Handlebar.....	1.....
29-D	Bolt Lever 3/16" x 1-1/2" Round Head.....	2.....
29-E	Nut Lever 3/16" Self-Locking.....	2.....
30	Decal Plate-Handlebar Crossbrace-Plain.....	1.....
30-E-A	Acorn Cap Nut & starwasher, attaches crossbrace to HB.....	2.....
30-G	Clutch Cable Guide, eyebolt & spacer.....	1.....
31	Decal only - "Farm & Garden Tiller" (YM-1).....	1.....
31-LOGO	Decal only - "YM Logo" oval (YM-LOGO).....	1.....
31-RB	Decal only - "Renter Tiller" (YM-2).....	1.....
35	Decal only - "Caution" (YM-3).....	1.....
35 SAF	Safety Decals [5 pc. Set] (YM-16x2, 17, 18, 20).....	1.....
32	Screw Decal Plate 1/4" x 1-1/2" Mach. Screw.....	2.....
34	Handle Grips Plastic 1" x 4-1/2".....	2.....

**WHEEL STANDARD, WHEELS, HOLDBACK or DRAG BAR**

35-10	Wheel Bar Std. & Axle Assy. (Less Holdback Bar) Includes #77 Spring and (2) #79 Lock Nuts.....	1.....
36-a	Bearing only for 10 x1.75 Std. wheel F&G Tiller..... ***Note: For F&G Tillers manufactured after 1991 use the 36-10b bearing.***	2 per wheel..
36-10	Wheels - 10 x 1.75 w/Zerk Fitting, Renter or F&G Tiller.....	2.....
36-10b	Bearing, replacement only for 10 x 1.75 Zerk wheel.....	2 per wheel..
39	Holdback Bar only.....	1.....
41	Clevis Pin 3/8" x 1-5/16".....	1.....
42	Bowtie Cotter Pin - 5/16"to 3/8"shaft.....	1.....
77	Return Spring - Self-Centering.....	1.....
79	Lock Nut 1/2" Cone NC Thread (Nylon).....	2.....

**Note:** Determine tine as left or righthand from the handlebar position in their basic "points-forward" position. A LH Tine points down and to the left; a RH Tine points down and to the right. There are 8 Lefthand and 8 Righthand Tines on each set.

**FARM & GARDEN SCYTHER TINES with Divisible Hubs**

1101	Scythe Tines-Divisible Hubs (Width 13-1/2" or 25").....	1 set.....
43	Rotor LH Basic (Inside) 12-1/2" Dia., Compl. Hub, Tines.....	1.....
44	Rotor RH Basic (Inside) 12-1/2" Dia., Compl. Hub, Tines.....	1.....
45	Rotor LH Extension (Outside) 12-1/2" Dia Com. Hub, Tines.....	1.....
46	Rotor RH Extension (Outside) 12-1/2" Dia Com. Hub, Tines.....	1.....
49	Basic Hub only-less Tines.....	2.....
50	Extension Hub only-less Tines.....	2.....
52/53 Set	F&G Scythe Tine Set (Less Hub).....	1 set of 16....
52	Lefthand Scythe Tine only.....	8 (per 25"set)
53	Righthand Scythe Tine only.....	8 (per 25"set)

**RENTER TINES with Solid Non-Divisible Hubs**

1104	LH & RH Renter Tines & Hubs Complete Set (Width 25"only)..	1 set .....
65-10	Renter Hub only-Solid, Non-Div. (Renter Models) tube.....	2.....
65-10-B	Renter Bolt on Hub, w/o weed cup (Less Tines) Optional....	2...opt.....
65-10-BWC	Renter Bolt on Hub, with weed cup (Less Tines) Optional...	2...opt.....
52/53-10 Set	Renter Tine Set (Less Hub).....	1 set of 16...
52-10	Lefthand Renter Tine only.....	8 (per 25" set)
53-10	Righthand Renter Tine only.....	8 (per 25" set)
54	Tine Bolts 5/16" x 1 NC.....	16 (per 25"set)
10-S	2-Way Lock Nut 5/16" NC.....	16 (per 25"set)

TILLER PARTS LIST

PART NUMBER	ITEM	QUANTITY PER TILLER
<b>HOODS, GUARDS &amp; ATTACHMENTS</b>		
95-78	Renter Tiller Tine Hood only (17" wide).....	1.....
96-74	Belt Guard (1/4" x 1/2" Bolts, Nuts,& LW included).....	1.....
97-78	Brace only for Renter Tine Hood (17" wide).....	1.....
98	Skt.Hd.CapScrew 1/4"x1-1/2" Gr8,LW, Nut 3-pc. Set(Hood Front Ears)..	1 set.....
99	Bolt, Lock Washer, Nut - (Hood Back) 1/4" x 3/4" 3-pc. Set....	4 sets.....
806	Blade only-Replacement-Straight-Cut Edger Attachment.....	6.....
807	Bolt & Nut 1/4" x 5/8" NC.....	12 sets.....
1106	Pick Tines w/Heavy-Wt. Hubs. Width 18" only.....	1 set.....
57-10	Pick Tine Replacement-Harrow Teeth-for welding to hub.....	18 (pcs. per set)
1108	Edger Attachment, Straight-Cut, w/Balance Wheel.....	1.....
1108-A	Balance Wheel & Hub for Edger Attachment.....	1.....
1108-B	Straight-Cut Edger Attachment Only.....	1.....
1109	Edger Attachment, Wedge-Cut, w/Balance Wheel.....	1.....
1109-C	Wedge-Cut Edger Attachment Only.....	1.....
1110	Standard Trencher Attachment.....	1.....
1115	Sod Stripper Attachment.....	1.....
1121	Deep-Dig Trencher Attachment (3 piece set).....	1.....
1121A	Deep-Dig Trencher Wheel/Disc (Incl. blades).....	1.....
1121B	Offset Hood for Deep-Dig Trencher.....	1.....
1121C	Brace only for Deep-Dig Trencher Hood.....	1.....
1121D	Blade only - Lefthand for Trencher Attachment.....	4.....
1121E	Blade only - Righthand for Trencher Attachment.....	4.....

**SUPPLEMENTAL PRICE LIST**

(Parts for machines manufactured in 1979 or prior, if not listed in main parts list.)

25	Clutch Cable Assy.-w/Spring & Turnbuckle.....	1.....
	(1979 & prior) (Includes 25-a and 25-b)	
25-a	Cable only-w/Turnbuckle (' 79 & prior)(old/longer, 38-1/4").....	1.....
25-b	Clutch Spring only (' 79 & prior)(old/shorter, 7-3/4").....	1.....
40	3/8" Snapper Pin, 1-pc. (sub for Part #41 & 42).....	1.....

\*\*\*\*\*

\*\* MINIMUM ORDER \$15.00 NET.

\*\* PRICES SUBJECT TO CHANGE WITHOUT NOTICE AND WILL BE THOSE IN EFFECT AT TIME OF SHIPMENT. ALL PRICES QUOTED F.O.B. SPOKANE, WASHINGTON - U.S.A.

\*\* MASTERCARD & VISA CHARGES AVAILABLE

\*\* APPROVED OPEN ACCOUNTS - NET 30 DAYS.

\*\* NEW ACCOUNTS SUBJECT TO CREDIT APPROVAL OR ORDER WILL BE SENT PROMPTLY UPON RECEIPT OF ADVANCE CHECK, MONEY ORDER, OR BE SHIPPED C.O.D.

\*\* 1-1/2% per month interest charged on past due accounts.

\*\* 15% re-stocking charge on all items returned to the factory for credit.

\*\*\*\*\*